Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S68	_0	( user\$3 with server\$1 same client\$3 same URL near3 (long\$3 or complicat\$6) same rat\$6).ab.	USPAT	OR	OFF	2005/02/01 13:43
S69	0	( user\$3 same server\$1 same client\$3 same URL near3 (long\$3 or complicat\$6) same rat\$6).ab.	USPAT	OR	OFF	2005/02/01 13:44
S70	0	( user\$3 same URL near3 (long\$3 or complicat\$6) same rat\$6).ab.	USPAT	OR	OFF	2005/02/01 13:43
S71	0	( user\$3 same server\$1 same client\$3 same URL near3 (long\$3 or complicat\$6) ).ab.	USPAT	OR	OFF	2005/02/01 13:43
S72	0	( user\$3 same server\$1 same client\$3 same (URL near3 (long\$3 or complicat\$6)) ).ab.	USPAT	OR	OFF	2005/02/01 13:43
S73	0	( user\$3 same server\$1 same client\$3 same (URL with (long\$3 or complicat\$6)) ).ab.	USPAT	OR	OFF	2005/02/01 13:43
S74	188201	( user\$3 same server\$1 same client\$3 same URL rat\$6).ab.	USPAT	OR	OFF	2005/02/01 13:44
S75	3	( user\$3 same server\$1 same client\$3 same URL same rat\$6).ab.	USPAT	OR	OFF	2005/02/01 13:47
S76_	0	( user\$3 same server\$1 same client\$3 same URL same (rate\$6 or rating)).ab.	USPAT	OR	OFF	2005/02/01 13:59
S77	1	( user\$3 same server\$1 same client\$3 same URL same (rate\$6 or rating) same intercept\$6 )	USPAT	OR	OFF	2005/02/01 13:48
S78	0	( user\$3 same server\$1 same client\$3 same URL near2 ( long\$6 or complicat\$6) same intercept\$6)	USPAT	OR	OFF	-2005/02/01 13:49
S79	0	( user\$3 same server\$1 same client\$3 same ( URL with ( long\$6 or complicat\$6) ) same intercept\$6	USPAT	OR	OFF	2005/02/01 13:49
S80	5	( URL with ( long\$6 or complicat\$6) same intercept\$6 )	USPAT	OR	OFF	2005/02/01-13:52
S81	286	( URL with ( long\$6 or complicat\$6)	USPAT	OR	OFF	2005/02/01 13:52
S82	136	( URL near5 ( long\$6 or complicat\$6) )	USPAT	OR	OFF	2005/02/01 13:53
S83	4	( user\$3 same server\$3 same client\$3 same URL & intercept\$6). ab.	USPAT	OR	OFF	2005/02/01 13:56
S84	46	( user\$3 same server\$3 same client\$3 same URL ).ab.	USPAT	OR	OFF	2005/02/01 13:56
S85	4	S82 & S84	USPAT	OR	OFF	2005/02/01 13:56

S86	0	( user\$3 same client\$3 same URL same (rate\$6 or rating)).ab.	USPAT	OR	OFF	2005/02/01 13:59
S87	4	( user\$3 same client\$3 same URL same intercept\$6).ab.	USPAT	OR .	OFF	2005/02/01 14:00
S88	14	( user\$3 same client\$3 with intercept\$6 same URL )	USPAT	OR	OFF	2005/02/01 14:01
S89	3	( user\$3 same client\$3 with intercept\$6 same URL same ( id or identif\$6) )	UȘPAT .	OR	OFF	2005/02/01 14:05
S90	836	( user\$3 same client\$3 same URL same ( id or identif\$6) )	USPAT	OR	OFF	2005/02/01 14:05
S91	14	( user\$3 same client\$3 same URL same ( id or identif\$6) ).ab.	USPAT	OR	OFF	2005/02/02 16:25
S92	250	( user\$3 same client\$3 with URL with ( id or identif\$6) )	USPAT	OR	OFF	2005/02/01 15:05
S93	2013409	( user\$3 same client\$3 with URL with ( id or identif\$6) ) same ( sort\$6 or clasif\$6 ) sme rat\$6	USPAT	OR	OFF	2005/02/01 15:02
S94	674	(709/200).CCLS.	USPAT	OR	OFF	2005/02/01 15:02
S95	0	( user\$3 same client\$3 with URL with ( id or identif\$6) ) same ( sort\$6 or clasif\$6 ) same rat\$6	USPAT	OR	OFF	2005/02/01 15:02
S96	3062	(709/200,203).CCLS.	USPAT	OR	OFF	2005/02/01 15:03
S97	58	S92 & S96	USPAT	OR	OFF	2005/02/01 15:04
S98	. 7	( user\$3 same client\$3 with URL with ( id or identif\$6) same (encrypt\$6 or decryt\$6))	USPAT	OR	OFF	2005/02/01 15:05
S99	9	( browser same client\$3 same URL same ( id or identif\$6) ).ab.	USPAT	OR	OFF	2005/02/01 15:08
S10 0	10	( browser\$1 same client\$3 same URL same ( id or identif\$6) ).ab.	USPAT	OR	OFF	2005/02/01 15:08
S10 1	11	( browser\$1 same client\$3 same URL\$1 same ( id or identif\$6) ).ab.	USPAT	OR	OFF	2005/02/01 15:09
S10 2	4	URL\$1 with (long\$6 or complicat\$6)with (reduc\$6 or eliminat\$6)	USPAT	OR	OFF	2005/02/01 15:12
S10 3	17	(user\$1 or browser\$3)same client\$6 with (long\$6 or complicat\$6)with (reduc\$6 or eliminat\$6)	USPAT	OR	OFF	2005/02/01 15:13
S10 4	311	((user\$1 or browser\$3)same client\$6 same (id or identif\$6) ).ab.	USPAT	OR	OFF	2005/02/01 15:21
S10 5	17	((user\$1 or browser\$3)same client\$6 with (construct\$6 or creat\$6 or develop\$6) same (id or identif\$6) ).ab.	USPAT	OR	OFF	2005/02/01 15:15

S10 6	14	((user\$1 or browser\$3)same client\$6 near6 (construct\$6 or	USPAT	OR	OFF	2005/02/01 15:15
		creat\$6 or develop\$6) same (id or identif\$6) ).ab.				
S10 7	7	S105 & URL\$1	USPAT	OR	OFF	2005/02/01 15:18
S10 8	136	S104 & URL\$1	USPAT	OR	OFF	2005/02/01 15:18
S10 9	47	S104 & URL\$1 & encrypt\$6	USPAT	OR	OFF	2005/02/01 15:19
S11 0	7	((user\$1 or browser\$3)same client\$6 same (id or identif\$6)same ( sort\$6 or classif\$6) ).ab.	USPAT	OR	OFF	2005/02/01 15:43
S11 1	1262	( ( user\$3 or browser\$1) same server\$1 same (retriev\$6 or select\$6)).ab.	USPAT	OR	OFF	2005/02/01 15:30
S11 2	94	( ( user\$3 or browser\$1) same server\$1 same (retriev\$6 or select\$6) same ( print\$6 or scan\$6)).ab.	USPAT	OR	OFF	2005/02/01 15:30
S11 3	20	( ( user\$3 or browser\$1) same server\$1 same (retriev\$6 or select\$6) same ( print\$6 or scan\$6)same databas\$6 ).ab.	USPAT	OR	OFF	2005/02/01 15:35
S11 4	2	((user\$1 or browser\$3)same client\$6 with (id or identif\$6)same ( sort\$6 or classif\$6) ) same URL\$1	USPAT	OR	OFF	2005/02/01 15:45
S11 5	23	((user\$1 or browser\$3)same client\$6 with (id or identif\$6)same ( sort\$6 or classif\$6);) & URL\$1	USPAT	OR	OFF	2005/02/01 15:59
S11 6	193	((user\$1 or browser\$3)with ( dertermin\$6 or select\$1) same client\$6 with (id or identif\$6) ) & URL\$1	USPAT	OR	OFF	2005/02/01 16:00
S11 7	193	((user\$1 or browser\$3) with ( dertermin\$6 or select\$1) same client\$6 with (id or identif\$6)) & URL\$1	USPAT	OR	OFF	2005/02/01 16:00
S11 8	11	((user\$1 or browser\$3) with ( dertermin\$6 or select\$1) same client\$6 with (id or identif\$6) ).ab. & URL\$1	USPAT	OR	OFF	2005/02/01 16:04
S11 9	68	((user\$1 or browser\$3) same client\$6 with (id or identif\$6) ).ab. & URL\$1	USPAT	OR	OFF	2005/02/01 16:06
S12 0	50	((user\$1 or browser\$3) same client\$6 with (id or identif\$6) same server\$1 ).ab. & URL\$1	USPAT	OR	OFF	2005/02/01 16:06

S12	23	((user\$1 or browser\$3) with client\$6 with (id or identif\$6) same	USPAT	OR	OFF	2005/02/01 16:34
		server\$1 ).ab. & URL\$1				0007/00/01/14 50
S12 2	20	S121 & log\$6	USPAT	OR	OFF	2005/02/01 16:23
S12 3	2	S121 & ( log\$6 & intercept\$6)	USPAT	OR	OFF	2005/02/01 16:34
S12 4	0	S121 & ( log\$6 & interpret\$3 ).ab.	USPAT	OR	OFF	2005/02/01 16:33
S12 5	0	S120 & ( log\$6 & interpret\$3 ).ab.	USPAT	OR	OFF	2005/02/01 16:33
S12 6	4	((user\$1 or browser\$3) same client\$6 same (id or identif\$6) same server\$1 same interpret\$6 ).ab.	USPAT	OR	OFF	2005/02/01 16:37
S12 7	79	((user\$1 or browser\$3) same client\$6 with interpret\$6 same (id or identif\$6) same server\$1)	USPAT	OR	OFF	2005/02/01 16:38
S12 8	70	((user\$1 or browser\$3) same client\$6 with interpret\$6 same (id or identif\$6) same server\$1) & (URL\$1 or Http)	USPAT	OR	OFF	2005/02/01 16:38
S12 9	47	((user\$1 or http)  ((user\$1 or browser\$3) same client\$6 with interpret\$6 same (id or identif\$6) same server\$1 ) same ( URL\$1 or Http)	USPAT	OR	O F	2005/02/01 16:45
S13 0	44	((user\$1 or browser\$3) with client\$6 with interpret\$6 same (id or identif\$6) same server\$1 ) same ( URL\$1 or Http)	USPAT	OR	OFF	2005/02/01 16:46
S13	9	((user\$1 or browser\$3) with client\$6 with interpret\$6 same filter\$6)	USPAT	OR .	OFF	2005/02/01 17:08
S13 2	15	((user\$1 or browser\$3) with ( URL\$1 or request\$6) with interpret\$6 same filter\$6)	USPAT	OR	OFF	2005/02/01 16:52
S13 3	9	((user\$1 or browser\$3) with ( URL\$1 or request\$6) with interpret\$6 same filter\$6) & ( client\$1 or server\$1)	USPAT /	OR	OFF	2005/02/01 17:12
S13 4	12	(( user\$1 or browser\$1) with (download\$6 or load\$3 ) same (databas\$6 or stor\$6) same peripheral\$1).ab.	USPAT	OR	OFF	2005/02/01 17:18
S13 5	13	((user\$1 or browser\$3) with client\$6 with interpret\$6 same criteria\$3)	USPAT	OR	OFF	2005/02/01 17:08
S13 6	69	((user\$1 or browser\$3) with interpret\$6 same filter\$6) & ( client\$1 or server\$1)	USPAT	OR	OFF	2005/02/01 17:12

S15 2	4	( URL same client\$6 same server\$1 same (id or identif\$6) same ( download\$3 or load\$6) ).ab.	USPAT	OR	OFF	2005/02/02 13:51
S15 3	2	( client\$6 same ( server\$1 with URL\$1) same (id or identif\$6) & ( download\$3 or load\$6) ).ab.	USPAT	OR	OFF	2005/02/02 13:56
S15 4	6	( ( server\$1 with URL\$1) with (return\$6 or result\$6) with page\$1 ).ab.	USPAT	OR .	OFF	2005/02/02 14:29
S15 5	1	S154 & (check\$6 or error\$1) same default	USPAT	OR	OFF	2005/02/02 14:27
S15 6	0	S154 & (check\$6 or error\$1) with intercept\$6	USPAT	OR	OFF	2005/02/02 14:29
S15 7	25	( ( server\$1 with URL\$1) with page\$1 ).ab.	USPAT	OR	OFF	2005/02/02 14:28
S15 8	0	S157 & (check\$6 or error\$1) with intercept\$6	USPAT	OR	OFF	2005/02/02 14:29
S15 9	1470	(check\$6 or error\$1) with intercept\$6 same (check\$6 or error\$1) with intercept\$6	USPAT	OR	OFF	2005/02/02 14:29
S16 0	0	( ( server\$1 with URL\$1) with (return\$6 or result\$6) with page\$1 ) same (check\$6 or error\$1) with intercept\$6	USPAT	OR	OFF	2005/02/02 14:29
S16 1	0	( ( server\$1 with URL\$1) with page\$1 ) same (check\$6 or error\$1) with intercept\$6	USPAT	OR	OFF	2005/02/02 14:30
S16 2	. 9	( ( server\$1 with page\$1 ) same (check\$6 or error\$1) with intercept\$6 )	USPAT	OR	OFF	2005/02/02 14:33
S16 3	6	( URL same server\$1 same (check\$6 or error\$1) with intercept\$6)	USPAT	OR	OFF	2005/02/02 14:39
S16 4	1	( URL same server\$1 same ( error\$1) with intercept\$6 )	USPAT	OR	OFF	2005/02/02 15:43
S16 <sub>5</sub>	1	( "6,735,694" B1).pn.	USPAT	OR	OFF	2005/02/02 15:46
S16 6	1	( "5,987,611").pn.	USPAT	OR	OFF	2005/02/02 15:49
S16 7	1	( "6,038,598").pn.	USPAT	OR	OFF	2005/02/02 16:23
S16 8	5	( user\$3 same client\$3 same ( id or identif\$6) same compress\$6 ).ab.	USPAT	OR	OFF	2005/02/02 16:58
S16 9	106	( user\$3 same client\$3 same ( id or identif\$6) same compress\$6 )	USPAT	OR	OFF	2005/02/02 16:33
S17 0	40	( user\$3 same client\$3 same ( id or identif\$6)with compress\$6 )	USPAT	OR	OFF	2005/02/02 17:14

S17 1	23	( user\$3 same client\$3 same ( id or identif\$6)with compress\$6 ) same server\$1	USPAT	OR	OFF	2005/02/02 16:34
S17 2	18	( user\$3 with client\$3 same ( id or identif\$6)with compress\$6 ) same server\$1	USPAT	OR	OFF.	2005/02/02 16:34
S17 3	0	( "6,65,659" B1).pn.	USPAT	OR	OFF	2005/02/02 16:59
S17 4	, 1	( "6,665,659" B1).pn.	USPAT	OR	OFF	2005/02/02 16:59
S17 5	1	( "6,397,259" B1).pn.	USPAT	OR	OFF	2005/02/02 16:59
S17 6	18	( user\$3 same client\$3 with ( id or identif\$6)with compress\$6 )	USPAT ·	OR	OFF	2005/02/02 17:34
S17 7	76	( client\$3 with ( id or identif\$6)with compress\$6 )	USPAT	OR	OFF	2005/02/02 17:34
S17 8	. 9	( client\$3 with ( id or identif\$6)with compress\$6 ).ab.	USPAT	OR	OFF	2005/02/02 17:34